



**Alliance Analytical Laboratories, Inc.**

179 West Randall Street  
Coopersville, MI 49404  
Phone: (616) 837-7670  
Fax: (616) 837-7701



Test methods marked with ^ are accredited under the laboratory's ISO/IEC 17025:2017 accreditation issued by ANSI National Accreditation Board. Refer to certificate and scope of accreditation AT-2044

**TEST RESULTS REPORT**

**CUSTOMER** Nova Teas  
1510 Quail Lake Loop Ste B  
Colorado Springs, CO 80906  
Phone: 719-418-5439

**SAMPLE DESCRIPTION** White Bali Kratom Powder Raw Lot 212RKY3252  
**SAMPLE DATE**  
**DATE RECEIVED** 3/13/2026  
**REFERENCE NUMBER** 202969944: 2615328 **Customer PO**  
**TEMPERATURE AT RECEIVING**



Test Requested	Test Method	Results	Ref Number	Start Date
Mitragynine	Analyst: 64	1.88 %	20172:60	3/16 8:40 AM

It is the customer's responsibility to evaluate the compliance of these results to any regulatory requirement.  
Test results apply to the sample as received.

**THIS DOCUMENT CONTAINS TRADE SECRET/CONFIDENTIAL INFORMATION  
PURSUANT TO 5 U.S.C.(b)(4)**

**This report must not be reproduced, except in full, without written approval of the laboratory.**

Reviewed and Approved by:

Andrea Balduck - Laboratory Manager

Date: 3/18/2026

Date: 3/18/2026