



**Alliance Analytical Laboratories, Inc.**

179 West Randall Street  
Coopersville, MI 49404  
Phone: (616) 837-7670  
Fax: (616) 837-7701



Test methods marked with ^ are accredited under the laboratory's ISO/IEC 17025:2017 accreditation issued by ANSI National Accreditation Board. Refer to certificate and scope of accreditation AT-2044

**TEST RESULTS REPORT**

**CUSTOMER** Nova Teas  
1510 Quail Lake Loop Ste B  
Colorado Springs, CO 80906  
Phone: 719-418-5439

**SAMPLE DESCRIPTION** White Maeng Da Kratom Powder Raw Lot 212RKY32522

**SAMPLE DATE**

**DATE RECEIVED** 3/13/2026

**REFERENCE NUMBER** 202969944: 2615348 **Customer PO**

**TEMPERATURE AT RECEIVING**



Test Requested	Test Method	Results	Ref Number	Start Date
Mitragynine	Analyst: 64	1.86 %	20172:61	3/16 10:07 AM

It is the customer's responsibility to evaluate the compliance of these results to any regulatory requirement.  
Test results apply to the sample as received.

**THIS DOCUMENT CONTAINS TRADE SECRET/CONFIDENTIAL INFORMATION  
PURSUANT TO 5 U.S.C.(b)(4)**

**This report must not be reproduced, except in full, without written approval of the laboratory.**

Reviewed and Approved by:

Audrey Monroe - Laboratory Director

Date: 3/19/2026

Date: 3/19/2026